

**42W Constant Current LED driver, 100-240VAC to 900mA, DALI***Partcode: ILDRCCA027 / Page: 1*

Integral LED Constant Current Drivers are designed and built using highly reliable components to deliver the best performance for commercial and residential lighting applications.

**Product Details**

Partcode: ILDRCCA027

Check Code: 535334

Range Name: various

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor

Product Type: Constant Current

Warranty: 3 Years

CE / RoHS: Yes

**Physical Data**

Material: Polycarbonate

*Partcode: ILDRCCA027 / Page: 2*

**Physical Data**

Length: 140mm

Width: 65mm

Depth: 30mm

Weight (Unpackaged Single Unit): 185g

**Electrical Data**

Voltage Range: 100-240V

Power Consumption: 42.0 Watts

Input Current: <0.60A

Input Voltage: 100-240VAC

Output Current: 900mA

Frequency Range: 50/60 Hz

Power Factor:  $\geq 0.90$

Dimming: DALI

Protection Function: Short Circuit protection, Overload protection, Thermal protection

LVD Certified: Yes

EN: EN61347-1, EN61347-2-13, EN55015, EN61547, EN61000-3-2, EN61000-3-3

**Light Data**

*Partcode: ILDRCCA027 / Page: 3*

### **Environmental**

Lowest Operating Temperature: -30 degrees

Maximum Operating Temperature: 50 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

### **Packaging**

EAN Barcode (unit of 1): 5055788233558

Packaged Weight (Unit of 1): 195g

Length (unit of 1): 165mm

Width (unit of 1): 75mm

Depth (unit of 1): 45mm

**Outer packaging info available on website**

*Product data last updated on: Wednesday, September 27, 2017 - 13:01*